

Southwest Clean Air Agency
Air Discharge Permit Application Notice

Application Number	CL-3276
Affected Facility	Cascade Middle School 13900 NE 18th Street, Vancouver, WA 98684
Description of Facility	Public School
Source Designation	<u>Natural Minor</u> The facility is a stationary source subject to review under SWCAA 400-110. Facility emissions are less than 100 tons per year (tpy) of any single criteria pollutant, less than 10 tpy of any single hazardous air pollutant, and less than 25 tpy of any combination of hazardous air pollutants.
Purpose of Application	SWCAA has received a permit application requesting approval to replace two boilers. The application has not yet been reviewed to determine if it is administratively complete. The SWCAA permit writer identified below will be reviewing the application to make a determination of completeness and, if necessary, make a request for additional information. A copy of the application will be available to the public when the application is determined to be complete.
Affected Pollutants	The proposed permitting action is expected to impact emissions of the following pollutants: Nitrogen Oxides, Carbon Monoxide, Particulate Matter, Volatile Organic Compounds, Toxic/Hazardous Air Pollutants
Public Comment Period	No public comment period for the draft permit is currently scheduled. A 30-day public comment period for the draft permit may be provided upon written request pursuant to SWCAA 400-171(3).
Opportunity for Public Involvement	Any person who wishes to review or comment on this application/permit may: <ul style="list-style-type: none"> • Contact the agency contact person identified below for more information; or • Request a public comment period pursuant to SWCAA 400-171(3). Requests for a public comment period must be submitted to SWCAA in writing via letter, fax, or electronic mail no later than the date specified below. <p>If a public comment period was requested and granted, any person may:</p> <ul style="list-style-type: none"> • Provide comment on the draft permit. Comments must be submitted to SWCAA in writing prior to the end of the designated public comment period; or • Request a public hearing for the draft permit. Public hearing requests must be received by SWCAA in writing during the designated public comment period, indicate the interest of the person filing the request, and state why a hearing is warranted. A public hearing will be held if the Executive Director determines that significant public interest exists.
Application Dates	Date received: September 18, 2024 Date of public notice: November 1, 2024
Agency Contact Person:	Abraham Apfel Air Quality Engineer I Phone: (360) 574-3058, ext. 124 E-mail: Abraham@swcleanair.gov