

State Environmental Policy Act

DETERMINATION OF NONSIGNIFICANCE (DNS) - SWCAA 24-037

Description of proposal:

Fiber Glass System submitted Air Discharge Permit (ADP) Application CL-3259 to the Southwest Clean Air Agency to approve operation of an existing unpermitted air handling unit. At the emission levels proposed, this equipment will not have a significant adverse impact on ambient air quality. This permitting action is not expected to have any effect on traffic, noise, glare, housing, or recreation opportunities.

Proponent: Joe Spencer, Production Manager

Location of proposal: 5985 S. 6th Way, Ridgefield, WA 98642

Lead agency: Southwest Clean Air Agency

The lead agency for this proposal has determined that it does not have a probable significant impact on the environment. An environmental impact statement (EIS) is not required under RCW 43.21C.030(2)(c). This decision was made after review of a completed environmental checklist and other information on file with the lead agency. This information is available to the public on request.

- There is no comment period for this DNS.**
- This DNS is issued under WAC 197-11-340(2); the lead agency will not act on this proposal for 15 days from the date below. Comments due by _____.**

Responsible official: Clinton Lamoreaux, P.E.
Position/title: Chief Engineer

Address: Southwest Clean Air Agency
5101 NE 82nd St Suite 102
Vancouver, WA 98662

Phone: (360) 574-3058 ext. 131

Signature: Clinton Lamoreaux

Date: October 30, 2024

